

***DISTRICT BOARD OF HEALTH
MAHONING COUNTY***

***DIVISION OF ENVIRONMENTAL
HEALTH***

FEE SCHEDULE

2008

Food Service Program

Commercial Food Service & Retail Food Operations

Level I	<25,000 sq. ft.	164.00
Level II	<25,000 sq. ft.	181.50
Level III	<25,000 sq. ft.	324.50
Level IV	<25,000 sq. ft.	405.00

Level I	>25,000 sq. ft.	226.00
Level II	>25,000 sq. ft.	236.50
Level III	>25,000 sq. ft.	775.50
Level IV	>25,000 sq. ft.	820.50

MOBILE FOOD SERVICE OPERATIONS

Mobile	73.50
--------	-------

VENDING MACHINE LOCATION/COMMISSARY FSO

Location or Commissary	24.50
------------------------	-------

TEMPORARY FOOD SERVICE OPERATION

Whole Event (Five (5) days or less)	33.50
-------------------------------------	-------

PLAN REVIEW FEE

30% of DBOH license fee

WATER SAMPLE FEES (12/27/01)

FSO/RFE	initial	\$15
	re-sample	\$25
Recreational park/camp	initial	\$15
	re-sample	\$25
Manu. Home Park	initial	\$15
	re-sample	\$25
Pools/spas	initial	\$15
	re-sample	\$25
Private water systems: newly permitted	initial	\$15
	re-sample	\$25
Private water systems: existing	initial	\$25
	re-sample	\$25
PWS Fluoride test	initial	\$12
Lead sample test if mailed in		\$15
Lead sample if san. Collects		\$25

RECREATIONAL PARK/CAMP PROGRAM

< 50 sites	140.00
=>50 sites	150.00
ea.add.'l lot	1.50

Temporary Camp License	55.00
POC'S (Permission to operate a day camp)	40.00
See Water Sample Fees	

MANUFACTURED HOME PARK PROGRAM

50 sites	175.00
>=50 sites	215.00
ea. add.'l lot	3.00
See Water Sample Fees	

MARINA PROGRAM (N/A UNDER NEW DEFINITION OF MARINAS - ALL UNDER STATE OF OHIO)

7-24 Docks	75.00
25-59 Docks	125.00
60-149 Docks	175.00
150-299 Docks	225.00
300-499 Docks	250.00
500+ Docks	275.00

BATHING BEACH PROGRAM

Bathing Beach Permit	75.00
----------------------	-------

PUBLIC SWIMMING POOLS, SPA, SPECIAL USE POOL PROGRAM

Individual Public Swimming Pool	265.00
Individual Spa	265.00
Individual Special Use Pool	265.00
Additional Pools, Spas, Special Use Pools	115.00
Government/School Operated Pools, Spas, Special Use Pools	265.00
See page 2 for Water Sample fees	

PRIVATE WATER SYSTEM PROGRAM

New Installations: Private Water System for Single Family	156.50
New Installations: Non-single Family Dwelling	166.50
Alteration: Private Water System	50.00

WATER HAULER REGISTRATION

Water Hauler Vehicle Inspection	per truck	10.00
---------------------------------	-----------	-------

LEAD TESTING

Lead Assessment	575.00
Lead Clearance Examination	
Category 1	75.00
	plus environmental

Category 2	samples	75.00
Category 3		125.00
	plus environmental	
	samples	75.00
Category 4		
Category 5	Environmental samples	
	only	

SOLID WASTE PROGRAM

Solid Waste Landfills

100 tons or less	5,000.00
101 - 200 tons	12,500.00
201 - 500 tons	30,000.00
501 or more or no AMDWR	60,000.00
Transfer Facilities:	750.00

Solid Waste Incinerators

100 tons or less	2,500.00
101-200 tons	6,250.00
201-500 tons	15,000.00
501 tons or more or no AMDWR	30,000.00

Composting Facilities (Class I or Class II)

100 tons or less	2,500.00
101 - 200 tons	6,250.00
201 -500 tons	15,000.00
501 tons or more or no AMDWR	30,000.00

CONSTRUCTION & DEMOLITION DEBRIS DISPOSAL FACILITIES

Application Fee/License (non refundable)	3,000.00
--	----------

RABIES PROGRAM

Vaccinations	2.00
--------------	------

REFUSE HAULERS

Operational Permit	50.00
Each Vehicle Permit (maximum of \$1,000)	35.00

MASTER PLUMBERS REGISTRATIONS

Registration	125.00
--------------	--------

JOURNEYMAN PLUMBERS REGISTRATIONS

Registration	20.00
--------------	-------

<u>Continuing Education Program</u>	85.00
<u>PLUMBING PERMIT INSPECTIONS</u>	
Downspout permit	15.00
Footer Drain Permit	15.00
<u>Individual Plumbing Permits</u>	
CLOSET	7.00
BATH TUB	7.00
LAV	7.00
WASH STAND	7.00
SINK	7.00
GARBAGE, DISPOSAL OR DISHWASHER	7.00
FLOOR DRAIN	7.00
URINAL	7.00
SHOWER	7.00
SOIL STACK	7.00
BUILDING DRAIN	7.00
DRINKING FOUNTAIN	7.00
INSIDE DOWNSPOUTS	15.00
LAUNDRY TRAY	7.00
WASHER MACHINE	7.00
WATER HEATER	7.00
MODULAR INSPECTION	30.00
PARTIAL INSPECTION	15.00
ROUGH INSPECTION	15.00
FINISH INSPECTION	15.00
RE-INSPECTION	25.00
FOOTER DRAIN CONNECTION	15.00
SUMP PUMP	7.00
INTERCEPTORS (GREASE, GARAGE)	7.00
SEWAGE LIFT PUMP	10.00
WATER LINES	7.00
BACKFLOW	7.00
PLAN REVIEW	25.00
REAL ESTATE INSPECTION	30.00
AIR ADMITTANCE VALVE	7.00

TATTOO FEES

Tattoo Establishment Permit Fee	1016.00
New Artist/Apprentice Registration	125.00
Artist/Apprentice Renewal	50.00

PHOTOCOPIER FEES

First five copies are free
additional copies are
0.50/copy

MASS GATHERINGS

First day of mass gathering	90.00
Each consecutive day there after	50.00

ENVIRONMENTAL AUDIT FEE

Environmental Audits	170.00
----------------------	--------

RESIDENTIAL SEWAGE SYSTEMS

Site Review – New systems/repairs/replacements /replats/additions	150.00
On-site Renewal (for one year, renewable twice)	25.00

Installation Permits

New System/Complete Replacement	450.00 + 50.00 ODH fee
Alteration to Existing System	250.00

Variance from regulations (application–non refundable) 50.00

Subdivision Submittal (10 lots or more) 150.00
(Each lot requires on-site evaluation and appropriate fee)

Subdivision Engineering Review Fee 1,300.00
(required by Board of Health for independent plan review)

Changes in Approved Subdivisions/Addendum
Subdivision Administration Fee 150.00
(Each lot requires site review and appropriate fee)

Operating Permit (Annual)

Class 1 (post 2007 on-lot)	0
Class 2 (post 2007 w/service on-lot)	50.00
Class 3 (1997-2007 O & M)	125.00
Class 4 (post 2007 off-lot)	175.00
Class 5 (Septage truck)	Included in registration
Class 6 (Land application)	150.00

REINSPECTION/LATE FEE

Administration fee for erroneous information and/or installation without a permit	50.00 100% of original Permit fee
---	--------------------------------------

REAL ESTATE INSPECTIONS

Water and Sewage Evaluation for Real Estate	245.00
Sewage Evaluation for Real Estate	215.00
Well Evaluation for Real Estate	50.00
Well Evaluation Water re-sample	50.00

LAND APPLICATION

New Site Review	150.00
Operating Permit (Annual)	150.00

REGISTRATION

Registration for Wastewater Programs (each classification)	125.00
Late fee for annual registration renewal	50.00

Semi-Public Sewage Treatment System

Annual Permits

Non-mechanical ,1500 gpd & Holding Tanks	50.00
Mechanical < 1500 gpd	150.00
Mechanical 1500 – 4999 gpd	250.00
Mechanical 5000 – 9999 gpd	300.00
Mechanical 10000 – 25000 gpd	400.00
Late fee	25%
Repair/Installation permit for semi-public system	150.00
Site Evaluation	150.00
Real Estate Evaluation Well & Septic	215.00
Real Estate Evaluation Septic Only	175.00
Real Estate Evaluation Well Only	50.00
Vault Latrines	50.00

***DISTRICT BOARD OF HEALTH
MAHONING COUNTY***

Nursing Division

FEE SCHEDULE

2008

FOREIGN TRAVEL

Adacel	50.00
Yellow Fever	120.00
Typhim Vi	70.00
Adult Td	14.65
Varivax Adult Chickenpox	105.00
Hepatitis A (Adults)	50.00
(Children)	35.00
Hepatitis B (Adults)	55.00
(Children)	14.65
HPV	150.00
IPV	50.00
Twinrix (Hepatitis A & B combined)	70.00/dose
MMR	75.00
Injectable Polio (IPV)	45.00
Menactra	120.00
Menomune	120.00
Pre-exposure Rabies Vaccine	160.00/dose
Tdap	60.00
Zostavax	200.00

FLU SHOTS

Flu Shots	25.00
Pneumonia Shots	40.00
FluMist	35.00

BOOKLETS

Health Concerns in International Travel	3.00
Health Handbook for International Travel	1.00

WELL CHILD CLINIC FEES

Physical-Initial (Age 0-11 months)	95.00
Physical-Initial (Age 1-4 years)	95.00
Physical-Initial (Age 5-11 years)	95.00
Physical-Initial (Age 12-17 years)	95.00
Physical-Initial (Age 18-20 years)	95.00
Physical-Return (Age 0-11 months)	95.00
Physical-Return (Age 1-4 years)	95.00
Physical-Return (Age 5-11 years)	95.00
Physical-Return (Age 12-17 years)	95.00
Physical-Return (Age 18-20 years)	95.00

Well Child Immunizations Fees

DPT	14.65
DTaP	14.65
DTP/HIB	14.65
DT	14.65
OPV	14.65
MMR	14.65
HIB	14.65
TD	14.65
HEP B upto 1 yr	14.65
HEP B 11-19 yr	14.65
Varicella	14.65
Enabling services	20.00

TUBERCULOSIS CLINIC FEES

Chest X-Rays (Non-TB clinic clients)	25.00
--------------------------------------	-------

***DISTRICT BOARD OF HEALTH
MAHONING COUNTY***

LABORATORY SERVICES DIVISION

FEE SCHEDULE

2008

TEST #	ANALAYSIS/MATRIX	EPA METHOD	DETECTION LIMIT	SAMPLE SIZE/ CONTAIER	PRESERVATION	HOLDING TIME	FEE
592	ACIDITY Water	EPA 305.1 Titrimetric	1.0 mg/l	200ml P/G	Cool, 4°C	14 days	12.00
591	ALKALINITY Water	EPA 310.1 Titrimetric	1.0 mg/l	200ml P/G	Cool, 4°C	14 days	12.00
550	ALUMINUM Water	EPA 202.1 Flame AA	100 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
551	Water	EPA 204.2 Furnace	10 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2080	Solid	SW-846 7020 Flame AA	5.0 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
599	AMMONIA, NITROGEN Water	EPA 350.3 Electrometric	.02 mg/l	250ml P/G	Cool, 4°C H ₂ SO ₄ pH<2	28 days	15.00
552	ANTIMONY Water	EPA 204.1 Flame AA	100 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
553	Water	EPA 204.2 Furnace	10 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2081	Water	SW-846 7040 Flame AA	5.0 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
554	ARSENIC Water	EPA 206.2 Furnace AA	5.0 µg/l	125 ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2082	Solid	SW-846 7060 Furnace AA	.25 mg/kg	100g P/G	Cool, 4°C	6 months	22.00
555	BARIUM Water	EPA 208.1 Flame AA	100 µg/l	125 ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
556	Water	EPA 208.2 Furnace AA	10 µg/l	125 ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2083	Solid	SW-846 7080 Flame AA	5.0 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
557	BERYLLIUM Water	EPA 210.1 Flame AA	5.0 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
553	Water	EPA 210.2 Furnace AA	1.0 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2084	Solid	SW-846 7090 Flame AA	.25 mg/kg	100g P/G	Cool, 4°C	6 months	15.00

TEST #	ANALYSIS/MATRIX	EPA METHOD	DETECTION LIMIT	SAMPLE SIZE/CONTAINER	PRESERVATION	HOLDING TIME	FEE
2194	BIOCHEMICAL OXYGEN DEMAND (BOD5) Total	EPA 405.1	10 mg/l	1000ml P/G	Cool, 4°C	48 hours	25.00
220	Carbonaceous	EPA 405.1	10 mg/l	1000ml P/G	Cool, 4°C	48 hours	25.00
561	CADMIUM Water	EPA 213.1 Flame AA	5.0 µg/l	125 mg P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
560	Water	EPA 213.1 Furnace AA	0.1 µg/l	125 mg P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2085	Solid	SW-846 7130 Flame AA	.25 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
561	CALCIUM Water	EPA 215.1 Flame AA	.10 mg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
563	Water	EPA 215.2 Flame AA	.01 mg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2086	Solid	SW-846 7140 Flame AA	.5.0 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
2195	CARBON, ORGANIC (TOC) Water	EPA 415.1	1.0 mg/l	125ml G	Cool, 4°C H ₂ SO ₄ pH<2	28 days	30.00
613	CARBON, OXYGEN DEMAND (COD) Water	EPA 410.4 Colorimetric	10 mg/l	100ml G	Cool, 4°C H ₂ SO ₄ pH<2	28 days	25.00
593	CHLORIDE Water	EPA 325.3 Titrimetric	1.0 mg/l	500ml P/G	Cool, 4°C	28 days	15.00
594	CHLORINE, RESIDUAL Water	EPA 330.4 Titrimetric	1.0mg/l	200ml G/AMBER	NO HEADSPACE	Analyze IMD.	12.00
564	CHROMIUM Water	EPA 218.1 Flame AA	20 µg/l	125 mg P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
565	Water	EPA 218.2 Furnace AA	5.0 µg/l	125 mg P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00

TEST #	ANALYSIS/MATRIX	EPA METHOD	DETECTION LIMIT	SAMPLE SIZE/CONTAINER	PRESERVATION	HOLDING TIME	FEE
2087	Solid	SW-846 7190 Flame AA	1.0 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
566	Water	EPA 218.4 Colorimetric	10 µg/l	200 ml P/G	Cool, 4°C	24 hours	15.00
2088	Solid	SW-846 3060 Colorimetric	1.0 mg/kg	100g P/G	Cool, 4°C	7 days	30.00
2199	Fecal	"Std. Meth." 16 th Ed. 909C	NA	125ml P, Sterile	Cool, 4°C Na ₂ S ₂ O ₃	6 hours	15.00
2198	Total	"Std. Meth." 16 th Ed. 908	NA	125ml P, Sterile	Cool, 4°C Na ₂ S ₂ O ₃	24 hours	15.00
600	Water	EPA 110.2 Colorimetric	5PtCo/U	100ml P/G	Cool, 4°C	48 hours	10.00
595	Water	EPA 120.1 Electrometric	1.0 µmhos	100ml P/G	Cool, 4°C	28 days	5.00
567	Water	EPA 220.1 Flame AA	10 µg/l	125mg P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
568	Water	EPA 220.2 Furnace AA	1.0 µg/l	125mg P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2089	Solid	SW-846 7210 Flame AA	0.5 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
2193	Water	SW-846 Ch. #7	N.A.	50ml P/G	Cool, 4°C	24 hours	10.00
544	Water	SW-846 9010 Colorimetric	.02 mg/l	500mg P/G	Cool, 4°C NaOH pH<12	14 days	20.00
598	Water	EPA 340.2 Electrometric	.02 mg/l	100ml P/G	Cool, 4°C	28 days	12.00
2213	Water	SW-846 9020	1.0 µg/l	250ml G	Cool, 4°C Na ₂ S ₂ O ₃ H ₂ SO ₄ pH<2 (no headspace)	28 days	50.00
541		EPA 130.2 Titrimetric	10 mg/l	100ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	15.00

TEST #	ANALAYSIS/MATRIX	EPA METHOD	DETECTION LIMIT	SAMPLE SIZE/ CONTAIER	PRESERVATION	HOLDING TIME	FEE
	Water						
569	IRON Water	EPA 236.1 Flame AA	50 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
570	Water	EPA 236.2 Furnace AA	5.0 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2090	Water Solid	SW-846 7380 Flame AA	2.5 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
571	LEAD Air	NIOSH FlameAA	5 µg/f.	NA P/G	N.A.	6 months	9.00
572	Water	EPA 239.2 Furnace	1.0 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	15.00
2091	Solid	SW-846 7420 Flame AA	2.5 mg/kg	100g P/G	Cool, 4°C	6 months	12.00
2093	Paint chip	SW-846 7420 Flame AA	N.A.	1.0g P/G	N.A.	6 months	12.00
2092	Wipe	SW-846 7420 Flame AA	N.A.	1 wipe P/G	N.A.	6 months	9.00
573	MAGNESIUM Water	EPA 242.1 Flame AA	.10 mg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
2094	Solid	SW-846 7450 Flame AA	5.0 mg/kg	100g P/G	Cool, 4°C	6 months	12.00
574	MANGANESE Water	EPA 243.1 Flame AA	10 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
575	Water	EPA 243.2 Furnace AA	1.0 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2095	Solid	SW-846 7460 Flame AA	0.5 mg/kg	100g P/G	Cool, 4°C	6 months	15.00

TEST #	ANALAYSIS/MATRIX	EPA METHOD	DETECTION LIMIT	SAMPLE SIZE/ CONTAIER	PRESERVATION	HOLDING TIME	FEE
576	MERCURY Water	EPA 245.1 Cold vapor	0.2 µg/l	250ml P/G	Cool, 4°C HNO ₃ pH<2	28 days	22.00
2096	Solid	SW-846 7470 Cold vapor	0.1 mg/kg	100g P/G	Cool, 4°C	28 days	25.00
577	MOLYBDENUM Water	EPA 246.1 Flame AA	100 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
578	Water	EPA 246.2 Furnace AA	5.0 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2097	Solid	SW-846 7480 Flame AA	5.0 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
579	NICKEL Water	EPA 249.1 Flame AA	30 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
580	Water	EPA 249.2 Furnace	5.0 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2098	Solid	SW-846 7520 Flame AA	1.5 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
596	NITRATE Water	EPA 353.3 colorimetric	.02 mg/l	100ml P/G	Cool, 4°C H ₂ SO ₄ pH<2	28 days	12.00
	EPA Nitrate	EPA 353.3 colorimetric	.02 mg/l	100ml P/G	Cool, 4°C H ₂ SO ₄ pH<2	28 days	22.00
597	NITRATE & NITRITE Water	EPA 353.3 colorimetric	.02 mg/l	100ml P/G	Cool, 4°C H ₂ SO ₄ pH<2	28 days	14.00
601	NITRITE Water	EPA 354.1 colorimetric	.02 mg/l	100ml P/G	Cool, 4°C H ₂ SO ₄ pH<2	28 days	14.00

TEST #	ANALAYSIS/MATRIX	EPA METHOD	DETECTION LIMIT	SAMPLE SIZE/ CONTAIER	PRESERVATION	HOLDING TIME	FEE
2208	NITROGEN, TOTAL KJELDAHL (TKN) Water	EPA 351.3 electrometric	.02 mg/l	500ml P/G	Cool, 4°C H ₂ SO ₄ pH<2	28 days	25.00
2200	OIL & GREASE Water	EPA 413.1 gravimetric	1.0 mg/l	100ml G	Cool, 4°C Preserved upon receipt	28 days	35.00
2201	OXYGEN, DISSOLVED Water	EPA 360.1	1.0 mg/l	300ml G	No headspace	Analyze Imd.	10.00
603	PAINT FILTER TEST (FREE LIQUIDS) Solid	SW-846 9095 Paint filter	0.1 ml	500g P/G	N.A	N.A.	5.00
543	pH Water	EPA 150.1 electrometric	N.A.	50ml P/G	Cool, 4°C	Analyze Imd.	5.00
604	PHENOLS Water	EPA 420.1 Colorimetric	.02 mg/l	1000ml P/G	Cool, 4°C H ₂ SO ₄ pH<2	28 days	20.00
609	PHOSPHOROUS, ORTHO Water	EPA 365.3 Colorimetric	.01 mg/l	100ml P/G	Cool, 4°C	48 hours	15.00
608	PHOSPHOROUS, TOTAL Water	EPA 365.2 Colorimetric	.01 mg/l	50ml P/G	Cool, 4°C H ₂ SO ₄ pH<2	28 days	15.00
581	POTASSIUM Water	EPA 258.1 Flame AA	.10 mg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00

TEST #	ANALYSIS/MATRIX	EPA METHOD	DETECTION LIMIT	SAMPLE SIZE/CONTAINER	PRESERVATION	HOLDING TIME	FEE
2099	Solid	SW-846 7610 Flame AA	5.0 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
NA	PRIORITY POLLUTANT SCAN Volatiles	EPA 624	NA	3x4ml G	Cool, 4°C HCL pH<2 (no headspace)	14 days	NA
NA	Semi-Volatiles	EPA 625	NA	3x1000ml G (amber)	Cool, 4°C Na2S203	7/40 days	NA
NA	Pesticides/PCB	EPA 608	NA	3x1000ml G (amber)	Cool, 4°C Na2S203	7/40 days	NA
NA	Metals	SW-846	NA P/G	1000ml HNO3 pH<2	Cool, 4°C (Hg 28 days)	6 months	NA
001	Complete Priority Pollutant Scan	NA	NA	NA	NA	NA	725.00
582	SELENIUM Water	EPA 270.2 Furnace AA	5.0 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2100	Solid	SW-846 7740 Furnace AA	.25 mg/kg	100g P/G	Cool, 4°C	6 months	22.00
583	SILVER Water	EPA 272.1 Flame AA	10 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00

TEST #	ANALYSIS/MATRIX	EPA METHOD	DETECTION LIMIT	SAMPLE SIZE/CONTAINER	PRESERVATION	HOLDING TIME	FEE
583	Water	EPA 272.2 Furnace AA	1.0 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2101		SW-846 7760 Flame AA	0.5 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
585	Water	EPA 273.1 Flame AA	.10 mg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
586		EPA 273.2 Furnace AA	.01 mg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2102	Solid	SW-846 7770 Flame AA	5.0 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
545	SOLIDS, DISSOLVED	EPA 160.1 Gravimetric	1.0 mg/l	500ml P/G	Cool, 4°C	7 days	10.00
546	SOLIDS, SUSPENDED	EPA 160.2 Gravimetric	1.0 mg/l	500ml P/G	Cool, 4°C	7 days	10.00
547	SOLIDS, TOTAL	EPA 160.3 Gravimetric	1.0 mg/l	250ml P/G	Cool, 4°C	7 days	10.00
548	SOLIDS, VOLATILE	EPA 160.4 Gravimetric	1.0 mg/l	250ml P/G	Cool, 4°C	7 days	10.00

TEST #	ANALYSIS/MATRIX	EPA METHOD	DETECTION LIMIT	SAMPLE SIZE/ CONTAINER	PRESERVATION	HOLDING TIME	FEE
549	SOLIDS, SETTEABLE Water	EPA 160.5 Gravimetric	1.0 mg/l	1000ml P/G	Cool, 4°C	48 hours	5.00
610	SULFATE Water	EPA 375.3 Gravimetric	1.0 mg/l	100ml P/G	Cool, 4°C	28 days	15.00
611	SULFIDE Water	EPA 376.2 Colorimetric	.05 mg/l	500ml P/G	Cool, 4°C NaOH ZnAC	7 days	16.00
001	TOXICITY CHARACTERISTIC LEACHING PROCEDURE (TCLP) Solid	SW-846 1311 Complete TCLP	NA	200g G	Cool, 4°C	NA	700.00
587	THALLIUM Water	EPA 279.1 Flame AA	100 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
588	 Water	EPA 279.2 Furnace AA	10 µg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2132	 Solid	SW-846 7840 Flame AA	5.0 mg/kg	100g P/G	Cool, 4°C	6 months	15.00
001	TRIHALOMETHANES Water	EPA 501.1 Or 501.2	NA	3x40ml G	Cool, 4°C Na ₂ S ₂ O ₃ (no headspace)	14 days	60.00

TEST #	ANALAYSIS/MATRIX	EPA METHOD	DETECTION LIMIT	SAMPLE SIZE/ CONTAIER	PRESERVATION	HOLDING TIME	FEE
605	TURBIDITY Water	EPA 180.1 Nephelometric	0.1 NTU	100ml P/G	Cool, 4°C	48 hours	10.00
2203	VOLATILE ORGANIC COMPOUNDS Water	SW-846 8240	NA	2x4ml G	Cool, 4°C HCL pH<2 (no headspace)	14 days	175.00
589	ZINC Water	EPA 289.1 Flame AA	10 mg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	10.00
590	 Water	EPA 289.2 Furnace AA	1.0 mg/l	125ml P/G	Cool, 4°C HNO ₃ pH<2	6 months	19.00
2192	 Solid	SW-846 7950 Flame AA	0.5 mg/kg	100g P/G	Cool, 4°C	6 months	15.00

Consultation Fee for Groundwater Monitoring Samples

80.00